Manufacturer (trade mark):	**Clover Germany**	Type/Model OEM:	**CE250X**
Lot/Part number:	**CP3525BEP.**	Toner color(s):	**BLACK**
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	10500		
Test device:	CNCTB89J52 / CNCT91LGQS / CNCT9D5GHF	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	23	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojić	Test location 2):	**TRS EUROPE**
Test date:	20.11.2014		

1)If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation		Charge/Serial number
1	10503	Yes		A017S
2	11379	Yes		A007S
3	11500	Yes	We use for A1 the	A023S
4	10855	Yes	MAX, for A2 the	A012S
5	10556	Yes	MEDIAN and for A3 the	C015S
6	12151	Yes	MIN value of the list at	B008S
7	11154	Yes	left	B010S
8	10541	Yes		C014S
9	11656	Yes		C013S

Comparing Sample (B)	Type	Used for valuation		Charge/Serial number
1	10500	Yes/no	Yes	N/A
2	10500	Yes/no	Yes	N/A
3	10500	Yes/no	Yes	N/A
4		Yes/no		
5		Yes/no		

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average (Ā or V)
Yield A: (A1+A2+A3)/3= Ā	12151	11154	10503	11269
Yield V: (V1+V2+V3)/3=V	10500	10500	10500	10500

Alternative:

Yield A: Result of test after ISO/IEC 19752 Ā	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 V	
Reference to the test protocol:	
Test date:	
Result: EZ=Ā/V	1,07

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	24,1
Average value of the 2 areas F comparing print V1:	24,1

Difference is not higher than Δ*+-5 for Monochrom		Yes/no/Not Aplicable	N/A
Color difference ΔE≤18 for Color	0	Yes/no/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	26,7		
Average value of the 2 areas F comparing print V2:	24,1		
Difference is not higher than Δ*+-5 for Monochrom		Yes/no/Not Aplicable	N/A
Color difference ΔE≤18 for Color	2,6	Yes/no/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	25,6		
Average value of the 2 areas F comparing print V3:	25,7		
Difference is not higher than Δ*+-5 for Monochrom		Yes/no/Not Aplicable	N/A
Color difference ΔE≤18 for Color	0,1	Yes/no/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	71,2	49,6	27,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	3,1	5,1	4,7
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,6	71,2	50,5	25,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,2	5,6	5,6	2,9
Result determination	1	6	A	F
Difference ΔL≤8	1	2,5	0,5	1,8
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,9	72,5	48,6	29,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,9	4,1	5,4	5,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,5	67,8	45,5	25
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	2,2	5,4	2
Result determination	1	6	A	F
Difference ΔL≤8	1,5	1,9	0	3,2
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A3				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	70,1	49,7	28,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	2,5	3,4	4,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,2	68,1	48,2	25,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	4,7	5,3	1,7
Result determination	1	6	A	F
Difference ΔL≤8	0,5	2,2	1,9	2,9
Difference within allowed parameters	Yes	Yes	Yes	Yes

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters?	Yes
If not: Describe deviation	

Checking the grey page/color uniformity (5.6.5)

Are the lightness differences in between the acceptable parameters	Yes
If not: Describe deviation	

Checking the background (5.6.6)

Is the background smudge in between the acceptable parameters (pattern B1)?	Yes
If not: Describe deviation	

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)?	Yes
If not: Describe deviation	

Checking toner miscibility (5.6.8)

Is the toner miscibility given?	N/A
If not: Describe deviation	

OVERALL RESULT: Passed