

Manufacturer (trade mark):	<b>Clover Germany</b>	Type/Model OEM:	<b>C4096A</b>
Lot/Part number:	<b>57210EP</b>	Toner color(s):	<b>Monochrome</b>
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	5000	Take over value of existing test protocol : (box)	Yes, from ISO19752
Test device:	CNKRB73091 / NLCB006538 / FRGT422667		
Test climate:	Temperature: 24		
Deviations of the determined test conditions	Tester 1): Aleksandar Kojić	Test location 2):	<b>TRS EUROPE</b>
	Test date: 1.12.2014		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.  
 2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	6500	Yes/no	A024S
2	5120	Yes/no	A030S
3	5110	Yes/no	A028S
4	5800	Yes/no	A032S
5	6500	Yes/no	A038S
6	5195	Yes/no	A039S
7	6200	Yes/no	A031S
8	5800	Yes/no	A025S
9	5015	Yes/no	A027S

We use for A1 the MAX, for A2 the MEDIAN and for A3 the MIN value of the list at left

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	5000	Yes/no	N/A
2	5000	Yes/no	N/A
3	5000	Yes/no	N/A
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

**Administrative checking of health related attributes (5.2)**

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

**Checking the influence of the toner module on the printer (5.3)**

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

**Checking the initialization (5.4)**

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

**Checking the yield number (5.5)**

	1	2	3	Average (A or V)
Yield A: (A1+A2+A3)/3= $\bar{A}$	6500	5800	5015	5772
Yield V: (V1+V2+V3)/3= $\bar{V}$	5000	5000	5000	5000

**Alternative:**

Yield A: Result of test after ISO/IEC 19752  $\bar{A}$

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752  $\bar{V}$

Reference to the test protocol:

Test date:

Result:  $EZ = \bar{A} / \bar{V}$

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

**Checking the black print/Color reproduction (5.6.2)**

Average value of the 2 areas F test print A1: 25,1

Average value of the 2 areas F comparing print V1: 25,9

Difference is not higher than $\Delta^*+5$ for Monochrom	0,8	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A2:	24,5		
Average value of the 2 areas F comparing print V2:	24,9		
Difference is not higher than $\Delta^*+5$ for Monochrom	0,4	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A3:	23,8		
Average value of the 2 areas F comparing print V3:	22,9		
Difference is not higher than $\Delta^*+5$ for Monochrom	0,9	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A

**Checking the fade (5.6.3)**

**BLACK**

<b>Test print A1</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	83,2	74,4	28,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	0,9	3	4,8
<b>Comparing print V1</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,2	81,4	72,6	28,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	6,2	8,5	3,6
<b>Result determination</b>				
Difference	1	6	A	F
$\Delta L \leq 8$	0,4	5,3	5,5	1,2
Difference within allowed parameters	Yes	Yes	Yes	Yes

**BLACK**

<b>Test print A2</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,1	84,7	76,2	28,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	0,4	1,6	4,2
<b>Comparing print V2</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	82,6	73,9	27,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	6,2	8,1	3,4
<b>Result determination</b>				
Difference	1	6	A	F
$\Delta L \leq 8$	0,1	5,8	6,5	0,8
Difference within allowed parameters	Yes	Yes	Yes	Yes

**BLACK**

<b>Test print A3</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	92	83,9	75,5	26,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	0,8	1,1	2,9
<b>Comparing print V2</b>				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	81,3	73,9	25,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,6	6	7,5	2,4
<b>Result determination</b>				
Difference	1	6	A	F
$\Delta L \leq 8$	1,1	5,2	6,4	0,5
Difference within allowed parameters	Yes	Yes	Yes	Yes

**Checking toner adhesion**

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes  
If not: Describe deviation

**Checking the grey page uniformity (5.6.5)**

Are the lightness differences in between the acceptable parameters? Yes  
If not: Describe deviation

**Checking the background (5.6.6)**

Is the background smudge in between the acceptable parameters (pattern B1)? Yes  
If not: Describe deviation

**Checking the ghosting (5.6.7)**

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)? Yes  
If not: Describe deviation

**Checking toner miscibility (5.6.8)**

Is the toner miscibility given? N/A  
If not: Describe deviation

**OVERALL RESULT: Passed**