

Manufacturer (trade mark):	Clover Germany	Type/Model OEM:	Q7551A
Lot/Part number:	DPCP3005AEP	Toner color(s):	Monochrome
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6500	Take over value of existing test protocol :	(box) Yes, from ISO/IEC19752
Test device:	CNFW6C69YW / CNF1P77808 / CNFW7130N6	Relative humidity:	54
Test climate:	Temperature: 23	Test location 2):	TRS EUROPE
Deviations of the determined test conditions	Tester 1): Aleksandar Kojić	Test date:	12.11.2014

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.
 2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	7030	Yes	A339S
2	6802	Yes	A342S
3	6625	Yes	A341S
4	6801	Yes	A345S
5	6809	Yes	A344S
6	6750	Yes	A353S
7	7621	Yes	A346S
8	7479	Yes	A343S
9	6722	Yes	A347S

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	6500	Yes/no	N/A
2	6500	Yes/no	N/A
3	6500	Yes/no	N/A
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

	1	2	3	Average (A or V)
Yield A: (A1+A2+A3)/3= \bar{A}	7621	6802	6625	7016
Yield V: (V1+V2+V3)/3= \bar{V}	6500	6500	6500	6500

Alternative:

Yield A: Result of test after ISO/IEC 19752 \bar{A}

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752 \bar{V}

Reference to the test protocol:

Test date:

Result: $EZ = \bar{A} / \bar{V}$

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1: 24,9

Average value of the 2 areas F comparing print V1: 23,4

Difference is not higher than Δ^*+5 for Monochrom	1,5	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A2:	27,2		
Average value of the 2 areas F comparing print V2:	23,7		
Difference is not higher than Δ^*+5 for Monochrom	3,5	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A3:	22,5		
Average value of the 2 areas F comparing print V3:	21,6		
Difference is not higher than Δ^*+5 for Monochrom	0,9	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,3	76,7	53,2	25,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	4,4	5,4	1,5
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91	74,2	55,3	22,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,2	5,3	0,5
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0,2	3,2	0,1	1
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A2				
Color values 1 6 A F	1	6	A	F
after 50 pages	93,5	79,5	60,3	32
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	2,9	5,2	4,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,6	73,1	52,4	23,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	2,5	5	1,9
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0	0,4	0,2	2,9
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A3				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	72,3	55,5	25,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	3,2	6,7	3,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	74,8	55,4	22,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	2,9	4,5	0,8
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0,7	0,3	2,2	2,3
Difference within allowed parameters	Yes	Yes	Yes	Yes

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
If not: Describe deviation

Checking the grey page uniformity (5.6.5)

Are the lightness differences in between the acceptable parameters? Yes
If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge in between the acceptable parameters (pattern B1)? Yes
If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)? Yes
If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
If not: Describe deviation

OVERALL RESULT: Passed