

Manufacturer (trade mark):	Clover Germany	Type/Model OEM:	CE255X
Lot/Part number:	255XEP	Toner color(s):	Monochrome
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	12500	Take over value of existing test protocol :	(box) Yes, from ISO19752
Test device:	VNBQBDGOVR / VNBV97MGCW / VNBV9CYH7Q	Relative humidity:	43
Test climate:	Temperature: 23	Test location 2):	TRS EUROPE
Deviations of the determined test conditions	Tester 1): Aleksandar Kojić	Test date:	30.11.2014

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.
 2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	12502	Yes	A206S
2	15000	Yes	A202S
3	12680	Yes	A211S
4	12167	Yes	A210S
5	13927	Yes	A215S
6	13020	Yes	A214S
7	12578	Yes	A220S
8	12504	Yes	A212S
9	15200	Yes	A204S

Used for valuation: Yes We use for A1 the MAX, for A2 the MEDIAN and for A3 the MIN value of the list at left

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	12500	Yes/no	N/A
2	12500	Yes/no	N/A
3	12500	Yes/no	N/A
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

	1	2	3	Average (A or V)
Yield A: (A1+A2+A3)/3= \bar{A}	15200	12680	12167	13349
Yield V: (V1+V2+V3)/3= \bar{V}	12500	12500	12500	12500

Alternative:

Yield A: Result of test after ISO/IEC 19752 \bar{A}

Reference to the test protocol:

Test date:

Yield V: Result of test after ISO/IEC 19752 \bar{V}

Reference to the test protocol:

Test date:

Result: $EZ = \bar{A} / \bar{V}$

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	20,9
Average value of the 2 areas F comparing print V1:	21,5

Difference is not higher than Δ^*+5 for Monochrom	0,6	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A2:	21,9		
Average value of the 2 areas F comparing print V2:	24,2		
Difference is not higher than Δ^*+5 for Monochrom	2,3	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A
Average value of the 2 areas F test print A3:	23,8		
Average value of the 2 areas F comparing print V3:	21,9		
Difference is not higher than Δ^*+5 for Monochrom	1,9	Yes/no/Not Aplicable	Yes
Color difference $\Delta E \leq 18$ for Color		Yes/no/Not Aplicable	N/A

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,2	76	53	20
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	2,9	6,3	1,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,2	78,7	55,8	21,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	4,7	4	1,2
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0,3	1,8	2,3	0,1
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,4	74,7	54	21,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	1,8	3,6	1,3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,4	77	57,6	26,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,3	2,5	3,5
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0,3	0,5	1,1	2,2
Difference within allowed parameters	Yes	Yes	Yes	Yes

BLACK

Test print A3				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	76	51,6	20,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,9	4	3,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,4	76,9	54,6	22
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	2,6	1,4	0,7
Result determination				
Difference	1	6	A	F
$\Delta L \leq 8$	0,1	0,7	2,6	3
Difference within allowed parameters	Yes	Yes	Yes	Yes

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the lightness differences in between the acceptable parameters? Yes
If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge in between the acceptable parameters (pattern B1)? Yes
If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)? Yes
If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
If not: Describe deviation

OVERALL RESULT: Passed